



DRAWING NOT TO SCALE, ALL DIMENSIONS IN INCHES					
DOOR NO.	A	B	C	D	H
-	-	-	-	-	-
<i>PANEL OPTION</i>					
USDA <input type="checkbox"/> WHITE <input type="checkbox"/> BLUE					
<i>ELECTRICAL OPTIONS</i>					
<input type="checkbox"/> 460v - 3ph <input type="checkbox"/> 230v/208v - 3ph <input type="checkbox"/> 230v - 1ph <input type="checkbox"/> 480v OPEN DELTA, UNGROUNDED (\$)		<input type="checkbox"/> 575v - 3ph (\$) (INCLUDES NEMA 4 METAL ENCLOSURE WITH 575/460 TRANSFORMER)			
<i>STANDARD FEATURES</i>					
1. (1) SET FACTORY INSTALLED PHOTOEYES 2. (1) SET FIELD INSTALLED PHOTOEYES 3. NEMA 4X CONTROL BOX (NON-STAINLESS) 4. IP65 SEVERE DUTY MOTOR 5. WIRELESS BOTTOM BAR 6. REMOVABLE DRIP GUARD IN FRONT OF ROLL					
<i>UPGRADE OPTIONS</i>					
<input type="checkbox"/> SINGLE WINDRIB (\$) (SEE TABLE AT BOTTOM LEFT) <input type="checkbox"/> DOUBLE WINDRIB (\$) (SEE TABLE AT BOTTOM LEFT) <input type="checkbox"/> RIGHT HAND DRIVE (LH STD.) <input type="checkbox"/> VISION PANEL (SEE TABLE AT BOTTOM LEFT) <input type="checkbox"/> NEMA 4X STAINLESS CONTROL PANEL (\$)					
<input type="checkbox"/> BTA4 (BLUETOOTH ACCESS TERMINAL) (\$)					
NIGHT SWITCH FUNCTION: _____ <input type="checkbox"/> SELECTOR SWITCH ON CONTROL BOX (\$)					
<i>ACTIVATION OPTIONS (\$)</i>					
<input type="checkbox"/> ___ PUSHBUTTON <input type="checkbox"/> ___ PULL CORDS <input type="checkbox"/> ___ MOTION DETECTOR <input type="checkbox"/> ___ PRESENCE DET. <input type="checkbox"/> ___ MOTION/PRESENCE		<input type="checkbox"/> DUAL LOOP CONTROLLER <input type="checkbox"/> RADIO CONTROL RCVR (INCLUDE MIN 2 XMIT) ___ 1 BTN TRANSMITTER ___ 2 BTN TRANSMITTER ___ 4 BTN TRANSMITTER			
<i>OPTION NOTES</i>					
(\$) = PRICING CHANGE IF NOT INCLUDED IN QUOTE ***PLEASE SPECIFY PANEL COLOR AND VOLTAGE***					
ANY OPTIONS BEYOND STANDARD WILL INVALIDATE UL SANITARY COMPLIANCE. REFER TO APPROVAL DRAWING 7C196TEMP FOR NON-UL COMPLIANT DOORS (CR5700)					
RYTEC CORPORATION					
ONE CEDAR PARKWAY, JACKSON, WI 53037-0403					
APPROVAL DRAWING					
CLEAN-ROLL®					
CUSTOMER: _____					
LOCATION: _____					
DATE: _____					REV.: _____
DRAWING NO.: 401084-00T					

WINDRIBS (MINIMUM REQUIRED)

NO RIBS REQUIRED
IF BOTH PW AND PH <=96

ONE (1) RIB REQUIRED
IF EITHER PW OR PH >96

TWO (2) RIBS REQUIRED
IF EITHER PW OR PH >120.
*(VISION PANEL NOT AVAILABLE WITH 2 RIBS IF PH <=116)

FINAL APPROVAL SIGNATURE

FABRICATION CAN PROCEED ACCORDING TO THE SPECIFICATION SHOWN EXCEPT AS NOTED

APPROVED BY: _____

PRINT NAME: _____

SIGNATURE: _____

DATE: _____