


DETAIL B



DETAIL C

DIMENSIONAL VARIABLES									
DRAWING NOT TO SCALE; DIMENSIONS IN INCHES									
DOOR NO.	A	B	C	F	M	K1	K	H	
MILLIMETERS						N/A			
ACTUAL DOOR SIZE IS PRODUCED IN MILLIMETERS REQUESTED DOOR SIZE IS CONVERTED TO MILLIMETERS AND ROUNDED UP TO THE NEAREST 10MM									

ELECTRICAL OPTIONS

- ☐ 460v - 3ph
☐ 230v/208v - 3ph
☐ 230v - 1ph
☐ 480v OPEN DELTA, UNGROUNDED (\$)
- ☐ 575v - 3ph (\$) (INCLUDES NEMA 4 METAL ENCLOSURE WITH 575/460 TRANSFORMER)

STANDARD FEATURES

- SIDE COLUMN AND HEAD CONSOLE POWDER COATED RYTEC SILVER.
- INTELLIGENT LIGHT CURTAIN SYSTEM IN DOOR LINE TO 6'-0" ABOVE FINISHED FLOOR.
- SMARTSURROUND ADVANCED DETECTION AND ALERT SYSTEM.
- VARIABLE DOOR OPENING SPEED; UP TO 60"/SEC.
- PROGRAMMABLE UPPER AND LOWER LIMITS.
- NEMA 4X SYSTEM 4 CONTROL BOX (8.5"x16.5").
- BRAKE RELEASE LEVER ON SIDE COLUMN.

UPGRADE OPTIONS

- BRAKE RELEASE LEVER
- ☒ SIDE COLUMN ☐ REMOTE MOUNT (\$) ☐ BOTH (\$)
- ☐ RIGHT HAND DRIVE
☐ ROTARY DISCONNECT (\$)
- ☐ BTA4 (BLUETOOTH ACCESS TERMINAL) (\$)
- SIDE COLUMN MOUNT: ☐ LH ☐ RH ☐ NONE-REMOTE
- ☐ BTA4 NIGHT SWITCH (\$)
- FUNCTION:
- ☐ SELECTOR SWITCH ON CONTROL BOX(\$)
- FUNCTION:
- ☐ FULL HEIGHT ACTIVE REVERSING EDGE SENSOR (\$)

PANEL OPTIONS

- ☐ INSULATED SOLID SLATS (\$)
- WINDOWS (\$)
- ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ OTHER ____
- VENTS (\$)
- ☐ 1 ☐ 2 ☐ 3 ☐ 4 ☐ OTHER ____
- VISION HEIGHT (DIM 'J')
- ☐ 33" ☐ 39" ☐ 51"
- UP TO FOUR (4) VISION/VENT SLATS PER GROUP WITH AT LEAST ONE (1) SOLID SLAT SEPARATING GROUPS.

ACTIVATION OPTIONS (\$)

- ☐ __ PUSHBUTTON ☐ DUAL LOOP CONTROLLER
- ☐ __ PULL CORDS ☐ RADIO CONTROL RCVR (INCLUDE MIN 2 XMIT)
- ☐ __ MOTION DETECTOR ☐ 1 BTN TRANSMITTER
- ☐ __ PRESENCE DET. ☐ 2 BTN TRANSMITTER
- ☐ __ MOTION/PRESENCE ☐ 4 BTN TRANSMITTER

OPTION NOTES

(\$) = PRICING CHANGE IF NOT INCLUDED IN QUOTE

PLEASE SPECIFY VOLTAGE

RYTEC CORPORATION

ONE CEDAR PARKWAY, JACKSON, WI 53037-0403

APPROVAL DRAWING

SPIRAL LH MODEL SSN-S

FOR DOOR WIDTH UP TO 20', HEIGHT UP TO 16'-4"

CUSTOMER:

LOCATION:

DATE:

DRAWING NO.: 727-01T

REV.:

HANGER FORMULAS

K = NOT REQUIRED; FOR B<98
K = 72; FOR B>=98

K1 = NOT REQUIRED; FOR B<161
K1 = 135; FOR B>=161

M = B+20; FOR B<91
M = B; FOR B>=91

F = B+31; FOR B<91
F = B+11; FOR B>=91

FINAL APPROVAL SIGNATURE

FABRICATION CAN PROCEED ACCORDING TO THE
SPECIFICATION SHOWN EXCEPT AS NOTED

APPROVED BY:

PRINT NAME: _____

SIGNATURE: _____

DATE: _____

REV	DESCRIPTION	DATE	BY