

HIGH PERFORMANCE DOORS FOR AUTOMOTIVE DEALERSHIPS



HIGH PERFORMANCE DOORS FOR AUTOMOTIVE DEALERSHIPS

Spiral®

- Exclusive, patented technology
- Rigid aluminum double-walled slats with integral rubber weatherseals for resilience
- Insulated, ventilated or vision slat options available
- Opening speed up to 60 ips
- 5-year limited warranty on motor/mechanical components and materials



Spiral® HZ® (Hurricane Zone)

- Missile impact tested and can withstand winds up to 175 mph
- Certified for compliance with Miami-Dade County and the Florida Building Code.*
- Opening speed up to 60 ips
- 5-year limited warranty on motor/mechanical components and materials



Spiral® LH®-HZ® (Low Headroom, Hurricane Zone)

- Missile impact tested and can withstand winds up to 175 mph
- Certified for compliance with Miami-Dade County and the Florida Building Code*
- Low lintel design requires only 10 inches of headroom
- Opening speed up to 60 ips
- 5-year limited warranty on motor/mechanical components and materials



Spiral® VP (Value/Performance)

- Compact profile allows door to fit almost anywhere
- Direct drive or balanced operation great for lower speed and lower cycle applications
- Insulated, ventilated or vision slat options available
- Standard, vertical or high lift track configurations



Spiral® FV® (Full Vision)

- Full-width, shatter-proof and scratch resistant LEXAN™ slats provide excellent visibility
- Standard clear plus bronze and grey tinted options
- Sleek, high-tech aesthetics
- Opening speed up to 100 ips
- 5-year limited warranty on motor/mechanical components and materials



Spiral[®] LH[®] (Low Headroom)

- Low lintel design requires only 10 inches of headroom
- Rigid aluminum double-walled slats with integral rubber weatherseals for resilience
- Insulated, ventilated or vision slat options available
- Opening speed up to 60 ips
- 5-year limited warranty on motor/mechanical components and materials



Spiral[®] LP (Low Profile)

- Low profile side column and low headroom configuration reduces clearances
- Rigid aluminum double-walled slats with integral rubber weatherseals for resilience
- Insulated, ventilated or vision slat options available
- 5-year limited warranty on motor/mechanical components and materials




PredaDoor® NXT®

- 2-ply or 3-ply Rylon® door panel with 5-year warranty
- Direct drive operation
- NXT Quick-Set[™] repair system for realignment if hit
- Opening speed up to 50 ips

For applications requiring a heavyduty counterweight and independent curtain tensioning system, see the Rytec Fast-Seal® door on our website.




HIGH PERFORMANCE TECHNOLOGY





PATENTED SPIRAL® TECHNOLOGY

Our Spiral Series doors offer a unique spiral track design that ensures no metal-to-metal contact for ultra-quiet operation. This also guards against wear and tear on the aluminum panel, resulting in minimal maintenance, preserved aesthetics and longer life.



SAFETY FOCUSED

Rytec offers multiple standard and optional safety features to provide safeguards and assure operational standards.

- SmartSurround® Detection & Alert System
- Advanced³ Light Curtain Safety System
- Pathwatch®/Pathwatch II Safety Light Systems
- Reversing edge with Ry-Wi® Wireless System
- Dual thru-beam photo eyes



Performance Under Control

Our next generation exclusive System 4® and BTA4 remote door controllers provide greater functionality and unprecedented efficiency for Rytec doors. Featuring smart technology, easy installation and a standard NEMA 4X rated (or equivalent) enclosure.

IMPROVED WORKING ENVIRONMENT

- Air infiltration is minimized with fast opening and closing speeds to help maintain temperature
- Better temperature control consistency attracts highly-skilled auto technicians
- ▶ High-speed performance assures efficient movement of vehicles in and out of service bays

REDUCED MAINTENANCE COSTS

- Specifically engineered for high-traffic, high-cycle environments, designed for day in day out use
- ▶ Assured operation without extensive ongoing maintenance
- ▶ Heavy-duty, durable components and construction

ENHANCED CUSTOMER PERCEPTION

- ▶ High-tech design and durable powder-coated finish project modern architectural style
- Variety of colors and options can enhance the dealership image and reinforce the perception of quality
- Smooth operation reduces noise levels for less disruption to customers and technicians

LASTING RELIABILITY

- ▶ Engineered to withstand the daily rigors of use and last for millions of operating cycles
- ▶ Custom manufactured for optimal fit and performance
- Spiral HZ door is certified to withstand category 4 hurricane force winds up to 175 mph







QUALITY. PERFORMANCE. RELIABILITY.

Rytec doors offer our customers the highest value and day in, day out performance — and are supported by the knowledge and expertise of dedicated employees, authorized dealers and trained installers across North America. With over 150,000 doors in operation — many with millions of operating cycles — our doors provide energy savings, safety and security and require only minimal maintenance.

American Owned, American Made









4 Watch All Rytec Testimonials

888-GO-RYTEC info@rytecdoors.com P: 262.677.9046 F: 262.677.2058 One Cedar Parkway, PO Box 403 Jackson, WI 53037-0403

