



DRAWING NOT TO SCALE, ALL DIMENSIONS IN INCHES

DOOR NO.	A	B	C	D	H
-	-	-	-	-	-

MODEL

MODEL: CR - 5700	PANEL COLOR
PANEL MATERIAL	<input type="checkbox"/> WHITE
<input checked="" type="checkbox"/> 2-PLY USDA	<input type="checkbox"/> BLUE

ELECTRICAL OPTIONS

<input type="checkbox"/> 460v - 3ph	<input type="checkbox"/> 575v - 3ph (\$)
<input type="checkbox"/> 230v/208v - 3ph	(INCLUDES NEMA 4 METAL ENCLOSURE WITH 575/460 TRANSFORMER)
<input type="checkbox"/> 230v - 1ph	
<input type="checkbox"/> 480v OPEN DELTA, UNGROUNDED (\$)	

STANDARD FEATURES

- (2) SET FIELD INSTALLED PHOTOEYES
- SYSTEM 4 AC DRIVE
- NEMA 4X CONTROL BOX
- WIRELESS BOTTOM BAR

UPGRADE OPTIONS

- SINGLE WINDRIB (\$)
- DOUBLE WINDRIB (\$)
- RIGHT HAND DRIVE (LH STD.)
- VISION PANEL
- 575/460V STEP DOWN TRANSFORMER (\$)
- INCLUDED IN RYTEC CONTROL BOX
- BT44 (BLUETOOTH ACCESS TERMINAL) (\$)
- NIGHT SWITCH FUNCTION: _____
- SELECTOR SWITCH ON CONTROL BOX (\$)
- FUNCTION: _____
- OTHERS (DESCRIBE IN NOTES)

ACTIVATION OPTIONS (\$)

- PHOTOEYE
- PULL CORDS
- MOTION DETECTOR
- RADIO CONTROL
- PUSHBUTTON
- FLOOR LOOP
- OTHERS (DESCRIBE IN NOTES)

OPTION NOTES

NOTES:
 1) THE DOOR IS COMPLIANT WITH UL SPECIFICATIONS FOR SANITATION. HOWEVER, THE PNEUMATIC DRIP TRAY SYSTEM IS NOT UL SANITATION COMPLIANT.
 2) PNEUMATIC REAR DRIP TRAY. 90 PSI AIR SUPPLY & 3/8 PIPING BY OTHERS.
 (\$) = PRICING CHANGE IF NOT INCLUDED IN QUOTE

ANY OPTIONS BEYOND STANDARD WILL INVALIDATE UL SANITARY COMPLIANCE. REFER TO APPROVAL DRAWING 7C196TEMP FOR NON-UL COMPLIANT DOORS (CR5700)

RYTEC CORPORATION
 ONE CEDAR PARKWAY, JACKSON, WI 53037-0403

APPROVAL DRAWING
CLEAN-ROLL® - SYSTEM 4

FINAL APPROVAL SIGNATURE
 FABRICATION CAN PROCEED ACCORDING TO THE SPECIFICATION SHOWN EXCEPT AS NOTED

APPROVED BY: _____
 PRINT NAME: _____
 SIGNATURE: _____
 DATE: _____

CUSTOMER: _____
 LOCATION: _____
 DATE: _____ REV.: _____
 DRAWING NO.: 401084-07T